



# Measurement Solutions

# MAINTENANCE & CALIBRATION

[illegible]

### PX-Calibrate

The only portable, easy-to-store leak with a traceable certificate and a shut-off valve




F-GAS COMPLIANT VERIFICATION



- Verify your refrigerant leak detector according to the F-GAS EN14624:2020
- Calibrated reference leak with HFC R134a or HFO R1234yf
- Can be delivered with a Traceable & Calibrated ISO17025 Certificate on demand for yearly verification
- Shut-off valve - doesn't leak all the time
- 5g/year
- Easy to store
- Sintered leak technology powered by HTP
- Delivered in a compact, easy to store can.
- Versions:
  - PX-Calibrate-HFC: periodical function test with R134a
  - PX-Calibrate-HFO: periodical function test with R1234yf
  - PX-Calibrate-HFC-CET: R134a leak supplied with ISO17025 traceable certificate for yearly verification
  - PX-Calibrate-HFO-CET: R1234yf leak supplied with ISO17025 traceable certificate for yearly verification

# Calibration


Pressure gauges, Vacuum gauges, Temperature gauges, Scales, Recovery Units



- Leak detectors
- Gauges
- Manifolds
- Vacuum gauges
- Electronic manifolds & sensors
- Scales
- Recovery units
- ...
- Contact us for to find out more about our services

## Blondelle F-GAS - PED Calibration Gauge

High precision gauge with 'aged and stabilised' mechanics - 3 pressure ranges



- PED Calibration gauge
- Used for PED pressure testing and for verification of service manifolds
- Comes with a certificate referring to a higher standard
- Aged and stabilised mechanics

- Class 0,5
- 'A Lame Acier', dry gauge
- 25Bar Ø100, 60Bar Ø150, 180Bar Ø100,
- Storage case

### Reference:

- 0-25Bar : MA1202V14S-4031-82-CET
- 0-60Bar : MA1305V14S-9038-82-CET
- 0-180Bar : MA1202V14S-4016-82-CET

